



JC02 Rec'd PCT/PTO 18 APR 2002

DOCKET NO. MUR-026-USA-PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
K. Katagai, et al.

BEST AVAILABLE COPY

Serial No.: 09/831,879

Art Unit: To Be Assigned

Filed: May 22, 2001

Examiner: To Be Assigned

For: Adhesive Gel Composition For Iontophoresis
And Devices Therefor

REQUEST FOR CORRECTED FILING RECEIPT

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

Sir:

Applicants' counsel is in receipt of the PTO Filing Receipt for the above identified pending patent application, a copy of which is attached hereto. Upon verifying the accuracy of the data presented on the Filing Receipt it was noted that there are errors in the title for this invention which were introduced by the Patent Office. As evidence by the attached copy of the Transmittal, Declaration and Power of Attorney, and first page of the original specification which contains the title, the title should be "Adhesive Gel Compositions For Iontophoresis And Devices Therefor" rather than "Pressure-Sensitive Adhesive Gel Composition For Iontophoresis And Apparatus Therefor".

It is respectfully requested that the Patent Office records be corrected to reflect the correct title and that the undersigned be provided with a corrected Filing Receipt.

Respectfully submitted,
TOWNSEND & BANTA

Donald E. Townsend, Jr.
Reg. No. 43,198

Date: July 12, 2001

TOWNSEND & BANTA
Suite 500
1225 Eye Street, N.W.
Washington, D.C. 20005
(202) 682-4727

RECEIVED
AUG - 2 2002
TC 3700 MAIL ROOM

DOCKET NO. MUR-026-USA-PCT

Respectfully submitted,
TOWNSEND & BANTA

Donald E. Townsend, Jr.
Donald E. Townsend, Jr.
Reg. No. 43,198

Date: April 8, 2002

TOWNSEND & BANTA
#50028
Suite 500
1225 Eye Street, N.W.
Washington, D.C. 20005
(202) 682-4727